




Brisa® Outdoor Collection



Acoustical properties • Breathable technology • EPA-registered anti-mildew • Solar endurance



393-3160 Durango



396-3972 Lasso*


Brisa® Outdoor Collection



393-5750 Polar



396-3361 Mohave*



393-5267 Daisy




393-4435 Cricket



393-5852 Jasper



396-3733 Greige*



396-3980 Waylan*



393-4529 Glass



393-5875 Nimbus




396-3024 Chamois*




393-3823 Aztec



393-4528 Sea Green



396-3790 Shadow*



396-3134 Buckskin*




393-8214 Marigold



393-2542 Michigan Blue



393-5749 Black Onyx



396-3970 Chaps*



393-1331 Burnt Red

* Brisa® Distressed Outdoor



Outdoor



Breathable

Brisa® Outdoor Collection

General Specifications

Composition:

100% Polycarbonate Polyurethane Surface
65% Polyester, 35% Rayon Backing

Weight:

Approx. 11.2 oz. Per Square Yard
Approx. 380 Grams Per Square Metre

Thickness:

Approx. 1.1 Millimetres

Width:

54 Inches / 137 Centimetres

Performance

Abrasion:

ASTM D4157 / 200,000 Double Rubs (Wyzenbeek)*
BS 2543 / 180,000 Rubs (Martindale)*

*meets or exceeds

Hydrolysis:

14+ Weeks
ASTM D3690-02 Sect. 6.11 (Hydrolytic Stability)
ISO 1419 Method C (Accelerated Ageing)

Adhesion of Coating: ASTM D751

Tear Strength: ASTM D2261

Breaking Strength: ASTM D5034

Air Permeability: ASTM D737

Anti-mildew: ASTM G21

Sound Absorption: ASTM C423

Colorfastness

UV:

ASTM G154, 1000 Hours

Light Fastness:

AATCC 16.3, 200 Hours, Grade 4

Crocking:

AATCC 8, Grade 4-5 Wet & Dry

Chlorinated Water:

AATCC 162, Class 4-5

Perspiration:

AATCC 15, Class 5

Sea (Salt) Water:

AATCC 106, Class 4-5

Flammability Requirements

- ASTM E84 (Adhered) - Class A
- CA TB 117-2013 - Pass
- FMVSS 302 & 95/28 Annex IV - Pass
- NFPA 260 - Class 1
- UFAC - Class 1

These fabrics, when treated and/or used with other compatible furniture components, have been shown to perform under the fire test conditions of:

- ASTM E84 (Unadhered)
- BS 5852 PT 0, 1 & 5 (Crib 5)
- BS 5867 Part 2 Type B
- BS 7175
- FAR Specifications
- IMO A.652 (16)
- NFPA 701

Certificates and Standards

- SCS Indoor Advantage Gold Certified
 - Meets stringent chemical emission limits for various VOCs (eg. Formaldehyde)
 - Promotes healthier indoor air quality
 - Contributes towards satisfying credits under LEED® and BIFMA
 - Compliant with California Section 01350

For more information on our fabrics, cleaning and care instructions, please visit our website.



INDOOR ADVANTAGE GOLD
FURNITURE

Ultrafabrics® and logo, and Brisa® are trademarks of Ultrafabrics Inc. Made in Japan.

6/19

ultrafabricsinc.com

